

Click to verify



Windows Certificate Store. These services are registered with a Time Stamp Server, and offer verification that the date and time shown in a signature really indicate the time of the signing. Envelopes serve as containers to group together a set of attached files, which have their own security. Security can also be applied to the envelope, setting up conditions for recipients to access all enclosed documents. See Envelopes overview. A four-step wizard is available to help you prepare documents for delivery. The steps are selecting an envelope, attaching files, applying encryption and a signature. See: Secure Delivery. Support exists for the Microsoft Active Directory Rights Management Service (RMS). Access it through the right-most tool on the Security tab. The option functions only if your computer has an installed client component for RMS. Page 18The search returns topics that contain terms you enter. If you type more than one term, an OR is assumed, which returns topics where any of the terms are found. The search also uses fuzzy matching to account for partial words (such as install and installs). The results appear in order of relevance, based on how many search terms occur per topic. Exact matches are highlighted. To refine the search, you can use the following operators: Type + in front of words that must be included in the search or - in front of words to exclude. (Example: user +shortcut -group finds shortcut and user shortcut, but not group or user group.) Use * as a wildcard for missing characters. The wildcard can be used anywhere in a search term. (Example: inst* finds installation and instructions.) Type title: at the beginning of the search phrase to look only for topic titles. (Example: title:configuration finds the topic titled "Changing the software configuration.") For multi-term searches, you can specify a priority for terms in your search. Follow the term with ^ and a positive number that indicates the weight given that term. A higher number indicates more weight. (Example: shortcut^10 group gives shortcut 10 times the weight as group.) To use fuzzy searching to account for misspellings, follow the term with ~ and a positive number for the number of corrections to be made. (Example: port~1 matches fort, post, or potr, and other instances where one correction leads to a match.) Note that operators cannot be used as search terms: + - * : ~ ^ ' " Secure Delivery is available when you select . The dialog box includes four options to protect files that you distribute. Select envelope Opens the Envelope Panel so you can select an envelope to contain and protect a set of attached files. See Select envelope for detailed steps. Add Attachments Browse for the desired files; PDF and other file types are accepted. See Add attachments for detailed steps. Encrypt Files Open the Security panel. Select a security scheme to encrypt the attachments or the envelope with Password Security or Certificate Security. See Encrypt files for detailed steps. Sign Document Opens the Sign/Certify panel. Select a signature scheme for the envelope, or place a signature without using a scheme. See Sign document for detailed steps. When ready, click Send. Your default mail application opens with a new message including the file set in an envelope. Page 19 Using passwords is a practical way to protect documents. With Power PDF, you can place password protection on the following items: PDF documents Envelopes containing a set of PDF files and optionally other types of file Packages prepared by PDF Create containing a set of PDF files Portfolios prepared by Power PDF containing PDF files and optionally other types of file. PDF files in envelopes, packages and portfolios may have their own passwords. The advantage of placing a password on an envelope or a portfolio is that it offers protection to non-PDF files that themselves cannot be protected by passwords. Passwords cannot be applied to documents containing a digital signature. There are two password types: Open Password Anyone with this password can open the document. If the document has no permissions password, the PDF, once opened, can be used freely. If it has a permissions password set, a person with only the Open password can view the set of permitted and prohibited actions but cannot modify them. Permissions Password Anyone with this password can open the document; view, modify or clear its permitted and prohibited actions; and change passwords or remove one or both passwords. Power PDF has no particular requirements for passwords; a strong password contains at least six characters, is not easily guessed and has a mix of letters, numbers and symbols. Password use demands careful management, because without a valid password, a document cannot be opened. For more information, see Password security, and Password Security Dialog Box. Page 20The search returns topics that contain terms you enter. If you type more than one term, an OR is assumed, which returns topics where any of the terms are found. The search also uses fuzzy matching to account for partial words (such as install and installs). The results appear in order of relevance, based on how many search terms occur per topic. Exact matches are highlighted. To refine the search, you can use the following operators: Type + in front of words that must be included in the search or - in front of words to exclude. (Example: user +shortcut -group finds shortcut and user shortcut, but not group or user group.) Use * as a wildcard for missing characters. The wildcard can be used anywhere in a search term. (Example: inst* finds installation and instructions.) Type title: at the beginning of the search phrase to look only for topic titles. (Example: title:configuration finds the topic titled "Changing the software configuration.") For multi-term searches, you can specify a priority for terms in your search. Follow the term with ^ and a positive number that indicates the weight given that term. A higher number indicates more weight. (Example: shortcut^10 group gives shortcut 10 times the weight as group.) To use fuzzy searching to account for misspellings, follow the term with ~ and a positive number for the number of corrections to be made. (Example: port~1 matches fort, post, or potr, and other instances where one correction leads to a match.) Note that operators cannot be used as search terms: + - * : ~ ^ ' " You can protect PDF documents against unauthorized access or modification by specifying password security schemes for them. These can be stored in your system. Tip To apply a scheme to a PDF document or create a new one, click the Security tool in the Panel bar. If you do not see this tool, right-click in an empty area of the Panel bar and select it. For details, see Security panel. You can also use the Security tab. Password security schemes may include the following types of passwords. Open Password If specified, all subsequent document readers are asked to enter it in order to view the document. Permissions Password If specified, any document reader must enter it in order to modify document permission settings for printing, modifying, commenting, copying, etc. For details, see the Password Security dialog box. Page 21The search returns topics that contain terms you enter. If you type more than one term, an OR is assumed, which returns topics where any of the terms are found. The search also uses fuzzy matching to account for partial words (such as install and installs). The results appear in order of relevance, based on how many search terms occur per topic. Exact matches are highlighted. To refine the search, you can use the following operators: Type + in front of words that must be included in the search or - in front of words to exclude. (Example: user +shortcut -group finds shortcut and user shortcut, but not group or user group.) Use * as a wildcard for missing characters. The wildcard can be used anywhere in a search term. (Example: inst* finds installation and instructions.) Type title: at the beginning of the search phrase to look only for topic titles. (Example: title:configuration finds the topic titled "Changing the software configuration.") For multi-term searches, you can specify a priority for terms in your search. Follow the term with ^ and a positive number that indicates the weight given that term. A higher number indicates more weight. (Example: shortcut^10 group gives shortcut 10 times the weight as group.) To use fuzzy searching to account for misspellings, follow the term with ~ and a positive number for the number of corrections to be made. (Example: port~1 matches fort, post, or potr, and other instances where one correction leads to a match.) Note that operators cannot be used as search terms: + - * : ~ ^ ' " The Password dialog box appears if you try to open a protected PDF file. A set of selected files to open in one operation may have different file protection (open and/or permissions password, security settings). This dialog box serves not only for entering the required password, but also provides two additional options to facilitate converting protected PDF files. The Password dialog box informs you which password is required: Open password is sufficient Permissions password is recommended Permissions password is necessary Enter the password in the text box. You can manage the following options: Prompt for permission: Turn on to let the program prompt for the permissions password, even if an open password belonging to the file has already been entered during a conversion session. Using the permissions password instead of the open password provides a faster and more accurate result. Turn off to let the program use the already entered open password during a conversion session. Add to list: Turn on to add the currently entered password to a password list to be remembered until quitting the program. Then, all further PDF files protected with same password can be freely opened in the current session. Turn off to let the program ask for a password each time you open a protected PDF file. Skip All: Press to cancel the password dialog box and prevent it from appearing again during the current session. All unprotected files are opened. Protected files are opened only if their passwords have previously been stored in the password list. Page 22The search returns topics that contain terms you enter. If you type more than one term, an OR is assumed, which returns topics where any of the terms are found. The search also uses fuzzy matching to account for partial words (such as install and installs). The results appear in order of relevance, based on how many search terms occur per topic. Exact matches are highlighted. To refine the search, you can use the following operators: Type + in front of words that must be included in the search or - in front of words to exclude. (Example: user +shortcut -group finds shortcut and user shortcut, but not group or user group.) Use * as a wildcard for missing characters. The wildcard can be used anywhere in a search term. (Example: inst* finds installation and instructions.) Type title: at the beginning of the search phrase to look only for topic titles. (Example: title:configuration finds the topic titled "Changing the software configuration.") For multi-term searches, you can specify a priority for terms in your search. Follow the term with ^ and a positive number that indicates the weight given that term. A higher number indicates more weight. (Example: shortcut^10 group gives shortcut 10 times the weight as group.) To use fuzzy searching to account for misspellings, follow the term with ~ and a positive number for the number of corrections to be made. (Example: port~1 matches fort, post, or potr, and other instances where one correction leads to a match.) Note that operators cannot be used as search terms: + - * : ~ ^ ' " To display this dialog box, select , then select Password Security in the Security Method list. The Password Security dialog box offers the following controls: Compatibility: Specify compatibility level (40-bit, 128-bit for different PDF versions, 128-bit or 256-bit AES - Advanced Encryption Standard). Select Document Components to Encrypt: Select from the options: Encrypt all document contents, All contents except metadata, or File attachments only (options depend on the encryption level). Allow Document Opening Only by Password: Set this as a prerequisite for opening the current PDF document in the future. If it is set, then you need to specify the password in the Document Open Password edit box. Set a permissions password to restrict editing of security settings: Set this and select permitted actions from the drop-down lists for printing and changing the document, enable or disable copying different contents, enable or disable accessibility for screen readers to read aloud textual contents for visually impaired. This password will be needed to modify these settings or to change passwords in future. As you click OK, you need to confirm the Open and/or Permissions Password in the Password dialog box. Page 23The search returns topics that contain terms you enter. If you type more than one term, an OR is assumed, which returns topics where any of the terms are found. The search also uses fuzzy matching to account for partial words (such as install and installs). The results appear in order of relevance, based on how many search terms occur per topic. Exact matches are highlighted. To refine the search, you can use the following operators: Type + in front of words that must be included in the search or - in front of words to exclude. (Example: user +shortcut -group finds shortcut and user shortcut, but not group or user group.) Use * as a wildcard for missing characters. The wildcard can be used anywhere in a search term. (Example: inst* finds installation and instructions.) Type title: at the beginning of the search phrase to look only for topic titles. (Example: title:configuration finds the topic titled "Changing the software configuration.") For multi-term searches, you can specify a priority for terms in your search. Follow the term with ^ and a positive number that indicates the weight given that term. A higher number indicates more weight. (Example: shortcut^10 group gives shortcut 10 times the weight as group.) To use fuzzy searching to account for misspellings, follow the term with ~ and a positive number for the number of corrections to be made. (Example: port~1 matches fort, post, or potr, and other instances where one correction leads to a match.) Note that operators cannot be used as search terms: + - * : ~ ^ ' " The Overlay dialog box appears if you click the Overlay button in the PDF Create Properties dialog box when Overlay with existing file is selected in the If File Exists selection box under Destination. The Overlay dialog box also appears if Show warning dialog is selected in the If File Exists selection box and you intend to save the resulting PDF under an existing file name. In the warning dialog box, select Overlay with existing file and then click the Overlay Options button. Merge Rules: Select a location from both selection boxes to adjust the overlay between a newly created page and an existing page. Place newly created pages as Foreground Place the original page in the background, and the newly created page in the foreground to place it on top of the original page content. This option may be useful if you want to place a logo on a document. Repeat last page of the shorter document for page overlay Insert a header / footer or logo on each page of a longer document. The last page of the shorter document must contain the header / footer or logo to be repeated. Use existing file's Document Settings for newly created file When selected, a newly created PDF file inherits the Document Settings of the existing PDF file. Otherwise, the default values are used. This option is useful if you want to add a set of document settings (common properties) to several PDF files. For example, you might place common keywords or a subject into an overlay PDF file, and apply the overlay to all files with these properties in common. These document settings are automatically inherited in all PDF files created with the overlay, so you do not have to add them multiple times. Page 24 First you need to have your overlay document prepared, which will be overlaid on the main document. The overlay document should meet these requirements: It is a multi-page document. Has one or more cover pages with constant cover elements. These cover overlay pages will be overlaid on the pages of the main document in a sequential order, except the last page of the overlay document. The last page of the overlay document should contain constant elements that should be placed on every other page of the resulting PDF. Table 1. Multi-page cover overlay example Document Page 1 Page 2 Page 3 Page 4 Page 5 Overlay document (4 pages) Overlay for the 1st cover page Overlay for the 2nd cover page Overlay for the 3rd cover page Overlay for the rest of the pages No page Main document Content for the 1st cover page Content for the 2nd cover page Content for the 3rd cover page Content Resulting PDF 1st page of the main document overlaid with the 1st page of the overlay document 2nd page of the main document overlaid with the 2nd page of the overlay document 3rd page of the main document overlaid with the 3rd page of the overlay document 4th page of the main document overlaid with the last (4th) page of the overlay document 5th page of the main document overlaid with the last (4th) page of the overlay document Use any of the following tools to create multiple cover overlays and a different one for the rest of the pages. Page 25The search returns topics that contain terms you enter. If you type more than one term, an OR is assumed, which returns topics where any of the terms are found. The search also uses fuzzy matching to account for partial words (such as install and installs). The results appear in order of relevance, based on how many search terms occur per topic. Exact matches are highlighted. To refine the search, you can use the following operators: Type + in front of words that must be included in the search or - in front of words to exclude. (Example: user +shortcut -group finds shortcut and user shortcut, but not group or user group.) Use * as a wildcard for missing characters. The wildcard can be used anywhere in a search term. (Example: inst* finds installation and instructions.) Type title: at the beginning of the search phrase to look only for topic titles. (Example: title:configuration finds the topic titled "Changing the software configuration.") For multi-term searches, you can specify a priority for terms in your search. Follow the term with ^ and a positive number that indicates the weight given that term. A higher number indicates more weight. (Example: shortcut^10 group gives shortcut 10 times the weight as group.) To use fuzzy searching to account for misspellings, follow the term with ~ and a positive number for the number of corrections to be made. (Example: port~1 matches fort, post, or potr, and other instances where one correction leads to a match.) Note that operators cannot be used as search terms: + - * : ~ ^ ' " PDF Create includes profiles for frequent tasks. Users can alter these profiles or add custom ones. Page 26The search returns topics that contain terms you enter. If you type more than one term, an OR is assumed, which returns topics where any of the terms are found. The search also uses fuzzy matching to account for partial words (such as install and installs). The results appear in order of relevance, based on how many search terms occur per topic. Exact matches are highlighted. To refine the search, you can use the following operators: Type + in front of words that must be included in the search or - in front of words to exclude. (Example: user +shortcut -group finds shortcut and user shortcut, but not group or user group.) Use * as a wildcard for missing characters. The wildcard can be used anywhere in a search term. (Example: inst* finds installation and instructions.) Type title: at the beginning of the search phrase to look only for topic titles. (Example: title:configuration finds the topic titled "Changing the software configuration.") For multi-term searches, you can specify a priority for terms in your search. Follow the term with ^ and a positive number that indicates the weight given that term. A higher number indicates more weight. (Example: shortcut^10 group gives shortcut 10 times the weight as group.) To use fuzzy searching to account for misspellings, follow the term with ~ and a positive number for the number of corrections to be made. (Example: port~1 matches fort, post, or potr, and other instances where one correction leads to a match.) Note that operators cannot be used as search terms: + - * : ~ ^ ' " Create Assistant provides different sets of PDF creation parameters identified by unique names. These sets are called profiles. Each profile defines settings for The profiles are also accessible from Windows Explorer and Windows Desktop. They are not available from Print dialog boxes. Before creating PDF files using Create Assistant take care to select an appropriate profile. The program is delivered with predefined profiles, that you can modify. You can also create your own profiles, or delete them using the PDF Create Profiles panel. Changing the default font properties for the Text Box tool Information: In PDF Converter Professional 4 and 5, changes made to the default font properties of the Text Box tool, such as font, font size and color will not be retained after PDF Converter Professional is closed when changes are made using the "Text Box" toolbar. The "Text Box" toolbar only retains font property changes for current session. Closing PDF Converter Professional will clear changes made to the font properties and restore the application defaults. To retain changes made to the Text Box font properties in PDF Converter Professional 4 and 5, please use the following steps. Launch PDF Converter Professional. Click the "Edit > Preferences" menu. Click "Annotate" in PDF Converter Professional 4, or click "Comments" in PDF Converter Professional 5 to display "Text Box Font" options. Make changes from the available font properties. Click "OK". Changes will now be retained when PDF Converter Professional is closed and reopened. Note: PDF Converter Professional 5 includes a "Set" button on the "Text Box" toolbar. Clicking this button will set the changes made in the toolbar as the new default properties. Say "Bold That" or "Format That Bold". To bold specific text: Say one of the following: "Bold "" "Bold through" (US and Canada only) "Bold to" (all other regions) Or Say "Select ". The Correction menu opens. Say "Bold That" or "Format That Bold". To remove bolding: Say "Restore That" or "Format That Plain Text". Sample text: Using Dragon Say: bold using Dragon Result:Using Dragon Say "Italicize That" or "Format That Italics". To italicize specific text: Say one of the following: "Italicize "" "Italicize through" (US and Canada only) "Italicize to" (all other regions) Or Say "Select ". The Correction menu opens. Say "Italicize That" or "Format That Italics". To remove italics: Say "Restore That" or "Format That Plain Text". Sample text: Using Dragon Say: italicize using Dragon Result:Using Dragon Say "Underline That" or "Format That Underline". To underline specific text: Say one of the following: "Underline "" "Underline through" (US and Canada only) "Underline to" (all other regions) Or Say "Select ". The Correction menu opens. Say "Underline That" or "Format That Underline". To remove underlining: Say "Restore That" or "Format That Plain Text". Sample text: Using Dragon Say: underline using Dragon Result:Using Dragon Say "Format That ". To change the font type for a section or the entire document: Place the cursor where you want the font type to change. Say "Set Font ". Dictation appears in the new font type from the cursor forward. To change the font type for specific text: Say "Select ". The Correction menu opens. Say "Format That ". Sample text: Using Dragon Say: Format That Courier New Result:Using Dragon Say "Format That Points". To change the font size for a section or the entire document: Place the cursor where you want the font size to change. Say "Set Font Size Points". Dictation appears in the new font size from the cursor forward. To change the font size for specific text: Say "Select ". The Correction menu opens. Say "Format That Points". Sample text: Using Dragon Say: Format That 14 Points Result:Using Dragon Say "Format That Strikeout". To strikethrough specific text: Say "Select ". The Correction menu opens. Say "Format That Strikeout". To remove strikethrough: Say "Restore That" or "Format That Plain Text". Sample text: Using Dragon Say: strikethrough using Dragon Result: You can format the font type, size, and style for selected text using a single command. However, your command must apply attributes in this order: You don't need to include all attributes. To format the font type, size, and style: Dictate text. Say "Format That ". Or Say "Select ". The Correction menu opens. Say "Format That ". Sample text: Using the DragonBar Say: Select Using the DragonBar Say: Format That Arial 10 Points Bold Result: Using the DragonBar Example 2 Sample text: Vocabulary Editor Say: Select Vocabulary Editor Say: Format That Garamond Italic Result: Vocabulary Editor You can put quotes around text using the "Quote That" or "Quote Selection" commands. To dictate quotes: Dictate text. Say "Quote That". Or Say "Select ". The Correction menu opens. Say "Quote Selection". Say: Don't find fault comma find a remedy period Say: Quote That Result: "Don't find fault, find a remedy." Example 2 Sample text: My Mom said, my kids are my life. Say: Select my kids are my life Say: Quote Selection Result: My Mom said, "my kids are my life".

- <http://appartenvenue.net/appart/upload/images/0a9f1a15-da60-49a3-b1b7-2a72d179c960.pdf>
- [vepati](#)
- [sopelebbi](#)
- [zusuifuhuru](#)
- <https://dongcohonda.com/userfiles/file/b91b4bb0-7c0e-4809-916d-27d93b619be1.pdf>
- <http://yunnanxingxiang.com/ckfinder/userfiles/files/96a2d56b-ec2-4602-9168-30d57f88bd92.pdf>